

Commissioner for Patents Washington, DC 20231

www.uspto.gov

7/22/02

RECEIVED
SEP 8 2004

Medtronic Inc MS-LC340 710 Medtronic Parkway NE Minneapolis MN 55432-5604


GROUP 3600

Dear Applicant:

1)

The Box PGPub replacement drawings for application number 09/943,193 received on 1/10/02 by the U. S. Patent and Trademark Office will be included in the application file but will not be included for patent publication due to the following reason(s):

Non	compliance:
	Drawing(s) and/or Figure(s) Missing
	Deficiencies in Drawings:
	☐ Improper paper size – must be either A4 (21cm x 29.7cm) or 8-1/2" x 11"
	☐ Improper margins (each drawing sheet must include a top margin of at least 1 inch, a left side margin of at least 1 inch, a right side margin of at least 5/8 inch, and a bottom margin of at least 3/8 inch)
	□ Not reproducible:
	☐ Paper too thin
	☐ Glossy pages☐ Non-white background
	☐ Drawing Objection(s)
	☐ Missing lead lines, drawing(s)
	☐ Line quality is too light, drawings(s)
	☐ More than 1 drawing and not numbered correctly
	☐ Non-English text. drawing(s)



Commissioner for Patents Washington, DC 20231

www.uspto.gov

 Excessive text, drawing(s) Photographs capable of illustration, drawing(s) Photographs may not be mounted (must be developed on a sheet of paper meeting the paper size requirement). 37 CFR 1.85(e) 	
2) Submission Did Not Meet Fee Requirements	
 □ No Fee □ Insufficient fee by check □ Insufficient funds in deposit account □ Declined credit card □ Non authorization for charge to deposit account 	
3) D Untimely Submission	
If you desire to have replacement drawings included for patent publication, you must submit new drawings, a petition, the petition fee of \$130 and a transmittal letter. The new submission must be submitted to the U. S. Patent and Trademark Office within the later of one month from the filing date of the application, or fourteen months from the earliest filing date for which a benefit is sought under title 35, United States Code.	
Telephone inquiries should be directed to Customer Service, Office of Initial Patent Examination, at 703-308-1202.	
00 d0 11 16 a 22)	

Signature of Reviewer, Office of Initial Patent Examination